


# USDA Remote Sensing Overview

JACIE 2012

April 17, 2012

Glenn R. Bethel
USDA Remote Sensing Advisor
glenn.bethel@usda.gov
202.720.1280








### USDA Agricultural Monitoring Satellites

VIIRS Degraded Capacity from MODIS era.







## USDA agencies use imagery for many operational tasks. Major applications include:

- Disaster Response and Recovery
- Compliance (Crops, Conservation, Forestry)
- Monitoring US and Global Agricultural Production
- Forest Monitoring (Health and Inventory)
- Forest Carbon Stocks and Fluxes
- Burned Area Emergency Response (BAER)
- Conservation Programs
- Pest Management
- Mapping










DMC2, SPOT, and Landsat Swaths: Wide Swaths are better for Monitoring and Classification



## **USDA Commercial Satellite Imagery Acquisitions**

- The USDA Satellite Image Archive is the USDA focal point for Mid resolution imagery acquisitions.
- 2011 and 2012 Funded DMC 2 Acquisitions and SPOT Cost Share with USGS.
- Increasing operational use / dependability of image acquisitions with the use of 5 satellites US Monitoring: Landsat 7, Deimos-1 (Spain) + UK2 form (UK) and Spot 4 and 5.


## Temporal Coverage


- Maximum coverage 36 times
- 100% covered 12 times

All the space you need


45% - covered 20 -23 times

USDA Acquired DMC2 Coverage for Crop year 2011 Increase Spatial and Temporal Resolution






## USDA Cost Shares with USGS on SPOT data Buy to Increase Spatial and Temporal Resolution




**Take Away:** USDA Exploits a great deal of imagery, most of which is from foreign sensors.

USGS SPOT - 4 & 5 Databuy Alaska Coverage March 2012 Contract 3





W E 0 175 350 700

USGS SPOT - 4 Databuy Hawaii Coverage Dec 16, 2011 - Feb 29, 2012 Contract 3



# USDA Farm, Insurance, and Conservation Program Building Blocks





+ Crop Reporting
All CLUs have been
owner certified.



National Agriculture Imagery Program (NAIP) Imagery every 2 years



Area of area planted and crop types.

Farm, Conservation, Disaster, and Insurance Programs are Administered at the CLU level.











## **Pixel Size Matters!**




Common Land
Units (CLUs):
A farm is made up of
one or more CLUs



1 MODIS pixel to many CLUs Even more CLUs per VIIRS pixel



Many Landsat pixels per 1 CLU (not true everywhere)




More SPOT pixels per 1 CLU

- •As pixel size decreases, more CLUs will have many to one relationship. Land Remote Sensing program should look at moving to 10 to 20 meter pixels.
- •The VIIRS era is moving in the wrong direction relative to MODIS.

## Time Series Imagery Critical to Crop Monitoring. Indices Profile by CLU, County, or State

### **Cropland MODIS-NDVI Time Series**







## Where, When & What's Going on?



#### Common Land Unit (CLU)

Owner/operator


Delineated from permanent features

Linked to:


Crop History (Reported Yields) Reported Crops

1 meter Imagery (NAIP) Updated Base Yearly Compliance

Basis for Reporting / Claims / Compliance / Updates



Time Series Imagery Continual Monitoring



Fields targeted for further analysis




# Compliance/Large Claim Forensic Remote Sensing

- The study and interpretation of remote sensing (aerial photography and many sources of satellite imagery) evidence
- Techniques:
  - Identify presence/absence of crop
  - Verify crop type
  - Verify producer reported information (planting date, harvest date, cause of loss)
  - Reconstruct crop histories from available satellite imagery and aerial photography


**–** ...


## By Combining Multiple Sources of Imagery, RMA can Understand Past Conditions.














**Actionable Information** 


## 2008 – 2011 National Cropland Data Layers




## Land Cover Categories (by decreasing acreage)

## 2010 Cropland Data Layer McLean County, IL





### Crop Identification and Crop Stage Determination with Mid-Resolution Imagery




Satellite Data Over Important Agricultural Regions Canola

Victoria, Australia

Field-Level Time-Series Analysis
Using Landsat TM Satellite
complements the MODIS Time Series
Acquisitions.















### **Time Series NDVI Differencing**

#### NDVI Image T<sub>1</sub>



**Current NDVI** 


#### NDVI Image T<sub>2</sub>



#### Past NDVI


- Previous year
- Average of previous years(3yr, 5yr, 10yr...)
- Same year, previous month

#### **NDVI Change**



#### Mask Change by:

- Irrigation
- Crop
- •Ag / not Ag



**Take away:** If we only attempt to acquire data every 16 days, it is easy to important crop stages from cloud cover.
Unreliable data acquisitions create a operational use gap.



## USDA Aerial Programs

National Agriculture Imagery Program (NAIP)

National Resources Inventory (NRI)

Forest Service Resource Photography

Stewardship Lands Photography




## USDA Farm Service Agency (FSA) APFO

- For all USDA Major Aerial Acquisitions USDA/FSA/Aerial Photography Field Office (APFO)
  - Contracts
  - Quality Controls
  - Archives

www.apfo.usda.gov







## New NAIP IDIQ Contract

- Scheduled to be awarded April 2012
- Contract length Single year with 4x 1 yr ext
- Standard Product:
  - 4-Band GeoTIFF DOQQ ← 4-Band = Must be acquired using digital sensor
  - 1m GSD resolution
  - State-based seamline shapefile
- Optional or alternative award items that may be considered include, but are not limited to:
  - \* ½ meter resolution imagery buy-up
  - stereo imagery
  - digital elevation model update or creation
  - spectral imagery of more than 4-bands
  - web image services


# 2012 NAIP Delayed by a Solicitation Protest

- The NAIP solicitation was protested. This delayed contract awards.
- The NAIP solicitation protest was dismissed on April 12.
  - Delayed the start of source selection and negotiations until April 13.
- Projected date of award: Early May.
  - Fly season scheduled to start April 15.
  - Actual start of fling season TBD.



#### **2012 NAIP ACQUISITION PERIODS**





= 2012 Planned Areas Impacted by Protest

## 2012 Partnership Agreements

2012 budget is estimated at \$15.8M

FSA	\$10.1M	USDA	88%
NRCS	\$1.9M	DOI	12%
FS	\$1.9M		
DOI	\$1.9M		












#### **FY2011 APFO Contracting Summary**





**National Agriculture Imagery Program (NAIP)**: Awarded contract task orders for one meter, 4-band, digital orthoimagery covering 1,175,517 square miles in 20 states, for a total contract value of \$16,454,443.63. 2011 was the final year of a 5 year IDIQ contract

## Forest Service Resource Photography




 Pike-San Isabel & Rio Grande National Forests

> 6,964 Square Miles 13,018 Stereo Images 13,018 Ortho Images



#### **FY2011 APFO Contracting Summary**






USFS Resource Aerial Photography Contracts: Contracted for 8 USFS resource projects (6 digital & 2 film) covering 14,827 square miles of national forest system land, for a total value of \$628,969.38.

## Planned 2012 Resource Contracts\*





25-50 cm GSD Digital 4 band Collections: Deliveries of Orthophotos and Stereo Coverage

\* Subject to availability of funds.

### **Evolution of Digital Stereo Resource Photography**

The Forest Service has a long history of using film based stereo imagery to monitor forests.

#### Digital imagery allows meet multiple requirements to be satisfied with the same acquisition:

- High Spatial Resolution (1 foot or less) ortho image base updates
- 4-band imagery exploitation
- Stereo exploitation

#### **Chronology:**

- 2007: the Forest Service started to fly high resolution digital imagery for forests.
- 2008 and 2009: several forests were flown with 1-foot, 4-bands, 16-bit, stereo coverage.
- **2010**: forests were flown with 1-foot, 4-bands, 16-bit, stereo coverage with full resolution DOQQQ and compressed DOQ mosaics.
- 2012: forests to be flown with 25-50 cm GSD, Digital 4 band, Orthophotos and Stereo Coverage

#### **Problems:**

- Large File Sizes (disk space and network constraints)
- Acquiring new Hardware and Software to support softcopy stereo exploitation
- Each product requires quality control (Ortho, Stereo, Frame, and Mosaic)





Dead (silver) and dying red/brown trees affected by the Mountain Pine Beetle epidemic. FS needs to evaluate individual trees. (Natural Color)






Dead (silver) and dying yellow trees affected by the Mountain Pine Beetle epidemic. (CIR)



Digitizing erosion hazards along Trail Creek inside the Hayman Burn (2002) using 2010 stereo imagery and a Planar 3D mirror display.




#### National Resource Inventory (NRI) and Stewardship Lands Imagery










#### National Resource Inventory (NRI) and Stewardship Lands Imagery (WRP) Contracts:

Awarded contract task orders for 91,507 sites and easements in the lower 48 states, Hawaii, and Puerto Rico & Virgin Islands, for a total contract value of \$8,891,479.35. A combined total administrative charge of \$266,744.38 was assessed. 2011 was the first year of a two year IDIQ contract. NRI and SLI imagery support the mission of NRCS programs.


### 2011 National Resource Inventory Sites





The NRI is a statistical survey of land use and natural resource conditions and trends on U.S. non-Federal lands.






## NRI is a 9" x 9" Film Acquisition








21,811 Photos

## Stewardship Lands:



Film → Scanned Orthophotos → Mosaics



Individual orthorectified SL photos





Mosaicked, tone balanced, SL photos

## Easement Compliance Violations **ONRCS** Discovered and Documented
















### **Disasters**



GOES image processed by NASA GOES Scient Team, August 24, 2011,

## DISASTER RESPONSE AND RECOVERY IS A MAJOR APPLICATION OF IMAGERY

Fires
Floods
Wind
Hail
Drought
Heat
Tornados

Impact

Crops Livestock

vestock Result

Trees

Grazing

Honey bees

Soils


Water

Infrastructure

Mitigate

Hail Damage — Case County, ND

Income Losses
Environmental Impacts



#### **Programs:**

Conservation
Insured Losses
Uninsured Losses
Emergency Loans





Soybeans outside hail impact

Soybeans after Hail

## Presidential Major Disaster Declarations


- 2011 Federal Disaster Declarations
  - Major Disaster Declarations 87
  - Emergency Declarations 25
  - Fire Management Assistance Declarations 112
- 2011 set a record for the number of Major Disaster Declarations.

Year	Disaster Declarations
2011	87
<u>2010</u>	81
<u>2009</u>	59
<u>2008</u>	75
<u>2007</u>	63
<u>2006</u>	52
<u>2005</u>	48
<u>2004</u>	69
<u>2003</u>	56
<u>2002</u>	49



#### PRESIDENTIAL DISASTER DECLARATIONS - CY2011


MAJOR DISASTERS and PRESIDENTIAL EMERGENCIES
Unduplicated Primary & Contiguous Counties: As of 10/12/2011






#### **SECRETARIAL DISASTER DESIGNATIONS - CY2011**

PRIMARY & CONTIGUOUS COUNTIES DESIGNATED BY THE SECRETARY - USDA:
As of 10/12/2011 - through Designation No. S3177 (Approved 10/05/2011)



#### **DISASTER DESIGNATIONS - CY2011**



### Hurricane Irene

 The USGS Tagged 6,600 images related to Hurricane Irene. With 3,211 post-event images.

#### US Not Licensed:


- ASTER
- Landsat TM and ETM+
- EO1
- Aerial

#### US Licensed:

- WorldView
- GEOEYE
- IKONOS
- QuickBird

#### Licensed Foreign

- SPOT
- RapidEye
- Radarsat
- TerraSARX
- COSMO ISA
- DMC




http://hdds.usgs.gov/hdds2/

# Pan Sharpening SPOT for Disaster Recovery Imagery





## Questions?



Pre-Event Imagery: Microsoft Bing, Post-Event Imagery: Surdex